

## Complete Trisomy 22 References

Barseghyan, K., Sklansky, M. S., Paquette, L. B., Randolph, L. M., & Miller, D. A. (2009). Agenesis of the ductus venosus in a fetus with nonmosaic trisomy 22. *Prenatal Diagnosis*, 29(9), 901–902. <https://doi.org/10.1002/pd.2309>

Bacino, C. A., Schreck, R., Fischel-Ghodsian, N., Pepkowitz, S., Prezant, T. R., & Graham, J. M., Jr (1995). Clinical and molecular studies in full trisomy 22: further delineation of the phenotype and review of the literature. *American Journal of Medical Genetics*, 56(4), 359–365. <https://doi.org/10.1002/ajmg.1320560404>

Beaulieu Bergeron, M., Tran-Thanh, D., Fournet, J. C., Lemyre, E., Lemieux, N., & Bouron-Dal Soglio, D. (2006). Male pseudohermaphroditism and gonadal mosaicism in a 47,XY,+22 fetus. *American Journal of Medical Genetics. Part A*, 140(16), 1768–1772. <https://doi.org/10.1002/ajmg.a.31338>

Choi, M., Kang, K., Park, C., Woo, H., Lee, J., Lee, J., Paik, W., and Youn, H. (2002). A Case of Trisomy 22 with Pulmonary Hypoplasia in a Liveborn Infant. *Journal of the Korean Pediatric Society*. 45(6):804-808.

<https://pesquisa.bvsalud.org/portal/resource/pt/wpr-97740>

Dane, B., Dane, C., Çetin, A., & Yayla, M. (2007). Prenatal ultrasound characterization of a case of trisomy 22. *Case Rep Clin Pract Rev*. 8:1-3 :: ID: 468020. <https://amjcaserep.com/abstract/index/idArt/468020>

Fahmi, F., Schmerler, S., & Hutcheon, R. G. (1994). Hydrocephalus in an infant with trisomy 22. *Journal of Medical Genetics*, 31(2), 141–144. <https://doi.org/10.1136/jmg.31.2.141>

Feret, M. A., Galán, F., Aguilar, M. S., Serrano, J. L., Cidras, M., & Garcia, R. (1991). Full trisomy 22 in a malformed newborn female. *Annales de Genetique*, 34(1), 44–46.

Fruhman, G., El-Hattab, A. W., Belmont, J. W., Patel, A., Cheung, S. W., & Sutton, V. R. (2011). Suspected trisomy 22: Modification, clarification, or confirmation of the diagnosis by aCGH. *American Journal of Medical Genetics. Part A*, 155A(2), 434–438. <https://doi.org/10.1002/ajmg.a.33792>

Hall, H. E., Surti, U., Hoffner, L., Shirley, S., Feingold, E., & Hassold, T. (2007). The origin of trisomy 22: evidence for acrocentric chromosome-specific patterns of nondisjunction. *American Journal of Medical Genetics. Part A*, 143A(19), 2249–2255. <https://doi.org/10.1002/ajmg.a.31918>

Harding, K., Freeman, J., Weston, W., & Smith, J. R. (1995). Trisomy 22: prenatal diagnosis--a case report. *Ultrasound in Obstetrics & Gynecology: The Official Journal of the International Society of Ultrasound in Obstetrics and Gynecology*, 5(2), 136–137. <https://doi.org/10.1046/j.1469-0705.1995.05020136.x>

Heinrich, T., Nanda, I., Rehn, M., Zollner, U., Frieauff, E., Wirbelauer, J., Grimm, T., & Schmid, M. (2013). Live-born trisomy 22: patient report and review. *Molecular Syndromology*, 3(6), 262–269. <https://doi.org/10.1159/000346189>

Hengstschläger, M., Bettelheim, D., Rosner, M., Repa, C., Deutinger, J., & Bernaschek, G. (2001). Extended prenatal survival of a non-mosaic trisomy 22 with aneuploid cytotrophoblasts. *Prenatal Diagnosis*, 21(10), 897–899. <https://doi.org/10.1002/pd.154>

Hirschhorn K. (1996). Clinical and molecular studies in full trisomy 22: further delineation of the phenotype and review of the literature. *American Journal of Medical Genetics*, 62(1), 98–99. [https://doi.org/10.1002/\(SICI\)1096-8628\(19960301\)62:1<98::AID-AJMG19>3.0.CO;2-Q](https://doi.org/10.1002/(SICI)1096-8628(19960301)62:1<98::AID-AJMG19>3.0.CO;2-Q)

Isada, N. B., Bolan, J. C., Larsen, J. W., Jr, & Kent, S. G. (1990). Trisomy 22 with holoprosencephaly: a clinicopathologic study. *Teratology*, 42(4), 333–336. <https://doi.org/10.1002/tera.1420420402>

Kehinde, F. I., Anderson, C. E., McGowan, J. E., Jethva, R. N., Wahab, M. A., Glick, A. R., Sterner, M. R., Jr, Pascasio, J. M., Punnett, H. H., & Liu, J. (2014). Co-occurrence of non-mosaic trisomy 22 and inherited balanced t(4;6)(q33;q23.3) in a liveborn female: case report and review of the literature. *American Journal of Medical Genetics. Part A*, 164A(12), 3187–3193. <https://doi.org/10.1002/ajmg.a.36778>

Kim, E. H., Cohen, R. S., Ramachandran, P., Mineta, A. K., & Babu, V. R. (1992). Trisomy 22 with congenital diaphragmatic hernia and absence of corpus callosum in a liveborn premature infant. *American Journal of Medical Genetics*, 44(4), 437–438. <https://doi.org/10.1002/ajmg.1320440410>

Kobrynski, L., Chitayat, D., Zahed, L., McGregor, D., Rochon, L., Brownstein, S., Vekemans, M., & Albert, D. L. (1993). Trisomy 22 and facioauriculovertebral (Goldenhar) sequence. *American Journal of Medical Genetics*, 46(1), 68–71. <https://doi.org/10.1002/ajmg.1320460111>

Kontomanolis, E. N., Pandya, P., & Limperis, V. (2010). Trisomy 22: the heart aspect. *Journal of Obstetrics and Gynaecology*. 30(6), 627–628. <https://doi.org/10.3109/01443615.2010.494204>

Kukolich, M. K., Kulharya, A., Jalal, S. M., & Drummond-Borg, M. (1989). Trisomy 22: no longer an enigma. *American Journal of Medical Genetics*, 34(4), 541–544. <https://doi.org/10.1002/ajmg.1320340417>

Ladonne, J. M., Gaillard, D., Carré-Pigeon, F., & Gabriel, R. (1996). Fryns syndrome phenotype and trisomy 22. *American Journal of Medical Genetics*, 61(1), 68–70. [https://doi.org/10.1002/\(SICI\)1096-8628\(19960102\)61:1<68::AID-AJMG13>3.0.CO;2-U](https://doi.org/10.1002/(SICI)1096-8628(19960102)61:1<68::AID-AJMG13>3.0.CO;2-U)

Lean, S. F., Lin, S. P., Shen, E. Y., Ho, M. Y., & Yang, S. Y. (1992). Liveborn trisomy 22: report of one case. *Zhonghua Minguo xiao er ke yi xue hui za zhi [Journal]*. *Zhonghua Minguo xiao er ke yi xue hui*, 33(3), 226–230.

Lin, A. E., Santoro, S., High, F. A., Goldenberg, P., & Gutmark-Little, I. (2020). Congenital heart defects associated with aneuploidy syndromes: New insights into familiar associations. *American Journal of Medical Genetics. Part C, Seminars in Medical Genetics*, 184(1), 53–63. <https://doi.org/10.1002/ajmg.c.31760>

Luchi, C., Monacci, F., Schifano, M., & Gadducci, A. (2013). 'Bat-like' choroid plexus and other sonographic features in trisomy 22 at the first trimester of pregnancy. *Prenatal Diagnosis*, 33(10), 1013–1014. <https://doi.org/10.1002/pd.4180>

Ma, L., Ouyang, Y., Qi, Q., Hao, N., Zhao, D., Jiang, Y., & Meng, H. (2018). Trisomy 22 with long spina bifida occulta: A case report. *Medicine*, 97(39), e12306. <https://doi.org/10.1097/MD.00000000000012306>

Mahalingam, S., Devanboo, A., Pradhan, A., Suravaparu, A., Sai Kiranmai, T., Venkataswamy, E., Ramprasad, V. L., & Kadam, P. (2023). True Fetal Trisomy 22 Detected Using Genome-Wide Noninvasive Prenatal Testing. *Journal of Obstetrics and Gynaecology of India*, 73(2), 180–182. <https://doi.org/10.1007/s13224-022-01730-y>

Manasse, B. F., Pfaffenzeller, W. M., Gurtunca, N., & de Ravel, T. J. (2000). Possible isochromosome 22 leading to trisomy 22. *American Journal of Medical Genetics*, 95(5), 411–414. [https://doi.org/10.1002/1096-8628\(20001218\)95:5<411::aid-ajmg1>3.0.co;2-q](https://doi.org/10.1002/1096-8628(20001218)95:5<411::aid-ajmg1>3.0.co;2-q)

Minella, C., Jeandidier, E., Koch, A., Antal, M. C., Favre, R., Sananes, N., & Weingertner, A. S. (2024). Trisomy 22: First and Second Trimester Cytogenetic Analysis and Phenotypic Presentation in a Series of Seven Cases. *Fetal Diagnosis and Therapy*, 51(2), 112–124. <https://doi.org/10.1159/000534619>

McPherson, E., & Stetka, D. G. (1990). Trisomy 22 in a liveborn infant with multiple congenital anomalies. *American Journal of Medical Genetics*, 36(1), 11–14.

<https://doi.org/10.1002/ajmg.1320360104>

Mihçi, E., Taçoy, S., Yakut, S., Ongun, H., Keser, I., Kiliçarslan, B., Bağci, G., & Lüleci, G. (2007). Maternal origin and clinical findings in a case with trisomy 22. *The Turkish Journal of Pediatrics*, 49(3), 322–326.

Milic, A., Blaser, S., Robinson, A., Viero, S., Halliday, W., Winsor, E., Toi, A., Thomas, M., & Chitayat, D. (2006). Prenatal detection of microtia by MRI in a fetus with trisomy 22. *Pediatric Radiology*, 36(7), 706–710.

<https://doi.org/10.1007/s00247-006-0155-9>

Miura, M., Sando, I., Haginomori, S., & Casselbrant, M. L. (2000). Histopathological study on temporal bone and eustachian tube in trisomy 22. *International Journal of Pediatric Otorhinolaryngology*, 56(3), 191–198.

[https://doi.org/10.1016/s0165-5876\(00\)00433-x](https://doi.org/10.1016/s0165-5876(00)00433-x)

Mokate, T., Leask, K., Mehta, S., Sharif, S., Smith, A., Saxena, A., & Mahmood, T. (2006). Non-mosaic trisomy 22: a report of 2 cases. *Prenatal Diagnosis*, 26(10), 962–965. <https://doi.org/10.1002/pd.1537>

Morrison, J. J., Hastings, R., & Jauniaux, E. (1998). Trisomy 22: a cause of isolated fetal growth restriction. *Ultrasound in Obstetrics & Gynecology*, 11(4), 295–297.

<https://doi.org/10.1046/j.1469-0705.1998.11040295.x>

Naicker, T., & Aldous, C. (2014). Two trisomy 22 live births in one hospital in 15 months: is it as rare as we thought? *Fetal and Pediatric Pathology*, 33(1), 35–41.

<https://doi.org/10.3109/15513815.2013.842273>

Ohtani, I., Kano, M., Sagawa, Y., Ogawa, H., & Suzuki, C. (2001). Temporal bone histopathology in trisomy 22. *International Journal of Pediatric Otorhinolaryngology*, 59(2), 137–141. [https://doi.org/10.1016/s0165-5876\(01\)00459-1](https://doi.org/10.1016/s0165-5876(01)00459-1)

Petersen, M. B., Hansen, M., & Djernes, B. W. (1987). Full trisomy 22 in a newborn infant. *Annales de Genetique*, 30(2), 101–104.

Phillipson, J., Benirschke, K., & Bogart, M. (1990). Two live-born infants with trisomy 22. *Pediatric Pathology*, 10(6), 1001–1005.

<https://doi.org/10.3109/15513819009064734>

Phung, V., Singh, K. E., Danon, S., Tan, C. A., & Dabagh, S. (2023). Non-mosaic trisomy 22 and congenital heart surgery using the shared decision making model: a case report. *BMC Pediatrics*, 23(1), 122. <https://doi.org/10.1186/s12887-023-03949-8>

Pineda, D., Schmidbauer, K., Holcomb, J. (2002). Prolonged Survival in a Liveborn Male Prenatally Diagnosed Non-Mosaic (Complete) Trisomy 22: A Case Report. *Acad J Ped Neonatol*. 11(3): 555-566.

Rao, V. B., Seema, K., Lily, K., Ghosh, K., & Mohanty, D. (2003). Trisomy 22 with unusual phenotype. *Indian Pediatrics*, 40(4), 371–372.

Schwendemann, W. D., Contag, S. A., Koty, P. P., Miller, R. C., Devers, P., & Watson, W. J. (2009). Ultrasound findings in trisomy 22. *American Journal of Perinatology*, 26(2), 135–137. <https://doi.org/10.1055/s-0028-1091399>

Scott, F., Bonifacio, M., Sandow, R., Ellis, K., Smet, M. E., & McLennan, A. (2018). Rare autosomal trisomies: Important and not so rare. *Prenatal Diagnosis*, 38(10), 765–771. <https://doi.org/10.1002/pd.5325>

Sepulveda, W., Be, C., Schnapp, C., Roy, M., & Wimalasundera, R. (2003). Second-trimester sonographic findings in trisomy 22: report of 3 cases and review of the literature. *Journal of Ultrasound in Medicine*. 22(11), 1271–1275. <https://doi.org/10.7863/jum.2003.22.11.1271>

Slater, H. R., Voullaire, L. E., Vaux, C. E., Bankier, A., Pertile, M., & Choo, K. H. (1993). Confirmation of trisomy 22 in two cases using chromosome painting: comparison with t(11;22). *American Journal of Medical Genetics*, 46(4), 434–437. <https://doi.org/10.1002/ajmg.1320460417>

Sundareshan, T. S., Naguib, K. K., al-Awadi, S. A., Redha, M. A., & Hamoud, M. S. (1990). Apparently nonmosaic trisomy 22: clinical report and review. *American Journal of Medical Genetics*, 36(1), 7–10. <https://doi.org/10.1002/ajmg.1320360103>

Stratton, R. F., DuPont, B. R., Mattern, V. L., Young, R. S., McCourt, J. W., & Moore, C. M. (1993). Trisomy 22 confirmed by fluorescent in situ hybridization. *American Journal of Medical Genetics*, 46(1), 109–112. <https://doi.org/10.1002/ajmg.1320460119>

Stressig, R., Körtge-Jung, S., Hickmann, G., & Kozłowski, P. (2005). Prenatal sonographic findings in trisomy 22: five case reports and review of the literature. *Journal of ultrasound in medicine*. 24(11), 1547–1553. <https://doi.org/10.7863/jum.2005.24.11.1547>

Tinkle, B. T., Walker, M. E., Blough-Pfau, R. I., Saal, H. M., & Hopkin, R. J. (2003). Unexpected survival in a case of prenatally diagnosed non-mosaic trisomy 22: Clinical report and review of the natural history. *American Journal of Medical Genetics. Part A*, 118A(1), 90–95. <https://doi.org/10.1002/ajmg.a.10216>

Tonni, G., Ventura, A., Pattacini, P., Bonasoni, M., & Ferrari, B. (2012). Complex cardiac defect, bowing of lower limbs and multiple anomalies in trisomy 22. Ultrasound, post-mortem CT findings with necropsy confirmation. *Fetal and Pediatric Pathology*, 31(6), 439–447. <https://doi.org/10.3109/15513815.2012.659409>

Van Buggenhout, G. J., Verbruggen, J., & Fryns, J. P. (1995). Renal agenesis and trisomy 22: case report and review. *Annales de Genetique*, 38(1), 44–48.

Voiculescu, I., Back, E., Duncan, A. M., Schwaibold, H., & Schempp, W. (1987). Trisomy 22 in a newborn with multiple malformations. *Human Genetics*, 76(3), 298–301. <https://doi.org/10.1007/BF00283629>

Woletz, P. S. (1992). Antenatal Detection of Trisomy 22. *Journal of Diagnostic Medical Sonography*. <https://doi.org/10.1177/875647939200800405>

Xu, B. Q., Jiang, X. C., Wan, L., Wang, S., Yang, Y. D., & Li, D. Z. (2020). Prenatal diagnosis of trisomy 22 at the first trimester of pregnancy. *Journal of Obstetrics and Gynaecology*. 40(3), 440–442. <https://doi.org/10.1080/01443615.2019.1606788>